
Wisconsin 590 Nutrient Management Application Restrictions



Map Generated On: 6/11/2014 **Ledgeview Farms** County: Manitowoc



0.1 Miles

1: 5,992 Scale

section of the 590 practice standard fc

This map has been developed utilizing NR 243 SWQMA Option #1-Do not apply manure within 35' (Brown Cty Nutrient Management Practice Standa Ordinance) of a navigable water, conduit to navigable water or within 25' of identify other risk areas such as conce wetlands; and inject or immediately incorporate manure and process wastewater in all other areas within the SWQMA.

Legend*

- -- Intermittent Streams
- Perennial Streams

CAFO Incorporation Zone

CAFO Fall Restriction (R)

Fall N Restriction (P)

CAFO Fall Restriction (W)

Wetland Inventory

*Markup is not included in the Legend

Sources:

Soil Map Units, Fall Restrictions, Winter Restrictions - Based on USDA NRCS SSURGO (updated 7/1/2012)

Surface Water - WI DNR 24K Hydro (acquired 1/9/2012)

SWQMAs - buffers around WI DNR 24K Hydro (based on 1/9/2012 Hydro) 2010 NAIP Imagery - USDA FS Transportation - WI DOT (acquired 5/22/2012)

Notes

Town of Cooperstown



Well-No manure or process wastewater applications within 100 feet Incorp 200' upslope

